Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 26-001122/D008.R001
Report Date: 02/20/2026
ORELAP#: OR100028
Received: 01/28/26 10:01

This is an amended version of report# 26-001122/D008.R000.
Reason: Updated client information.

Customer: Secret Nature

Huntington Beach, CA 92649
United States of America (USA)

Product identity: Sour Watermelon Live D9 5mg Gummies
Material: Cannabinoid Edible
Laboratory ID: 26-001122-0001
Evidence of Cooling: No
Temp: 13.5 °C
Lot #: 3604.5NC_012626
Serving Size #1: 4 g

Sample Results

Potency **Method:** J AOAC 2015 V98-6 (mod)[þ] **Batch:** 2600897 **Analyzed:** 02/03/26

Analyte	Result	Units	LOQ	Notes	Serving Size #1 Result	Units	LOQ
CBC	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
CBC-A	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
CBC-Total	< LOQ	%	0.0135		< LOQ	mg/4g	0.540
CBD[⊥]	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
CBD-A[⊥]	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
CBD-Total[⊥]	< LOQ	%	0.0135		< LOQ	mg/4g	0.540
CBDV	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
CBDV-A	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
CBDV-Total	< LOQ	%	0.0134		< LOQ	mg/4g	0.537
CBE	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
CBG	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
CBG-A	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
CBG-Total	< LOQ	%	0.0134		< LOQ	mg/4g	0.537
CBL	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
CBL-A	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
CBL-Total	< LOQ	%	0.0135		< LOQ	mg/4g	0.540
CBN	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
CBT	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
Δ10-THC-9R	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
Δ10-THC-9S	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
Δ10-THC-Total	< LOQ	%	0.0144		< LOQ	mg/4g	0.575
Δ8-THC[⊥]	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
Δ8-THCV	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
Δ9-THC[⊥]	0.127	%	0.0072		5.07	mg/4g	0.288
Δ9-THC-A[⊥]	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
Δ9-THC-Total[⊥]	0.127	%	0.0135		5.08	mg/4g	0.540
Δ9-THCP	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
Δ9-THCV	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
Δ9-THCV-A	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
Δ9-THCV-Total	< LOQ	%	0.0134		< LOQ	mg/4g	0.537

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 26-001122/D008.R001
Report Date: 02/20/2026
ORELAP#: OR100028
Received: 01/28/26 10:01

Potency

Method: J AOAC 2015 V98-6 (mod)[þ] **Batch:** 2600897 **Analyzed:** 02/03/26

Analyte	Result	Units	LOQ	Notes	Serving Size #1 Result	Units	LOQ
exo-THC	< LOQ	%	0.0072		< LOQ	mg/4g	0.288
Total Cannabinoids	0.127	%			5.08	mg/4g	

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed	Method	Status	Notes
Salmonella spp. ⊥	Negative		/25g		2600690	01/30/26	AOAC 2020.02[þ]		
EHEC including STEC ⊥	Negative		/25g		2600691	01/30/26	AOAC 2020.06[þ]		

Solvents

Method: Residual Solvents by HS-GC-MS[þ] **Units** µg/g **Batch** 2600863 **Analyze:** 01/30/26

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane ⊥	< LOQ	380	100	pass		2-Butanol ⊥	< LOQ	5000	200	pass	
2-Ethoxyethanol ⊥	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) ⊥	< LOQ		200		
2-Methylpentane ⊥	< LOQ		30.0			2-Propanol (IPA) ⊥	< LOQ	5000	200	pass	
2,2-Dimethylbutane ⊥	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) ⊥	< LOQ		200		
2,3-Dimethylbutane ⊥	< LOQ		30.0			3-Methylpentane ⊥	< LOQ		30.0		
Acetone ⊥	< LOQ	5000	200	pass		Acetonitrile ⊥	< LOQ	410	100	pass	
Benzene ⊥	< LOQ	2.00	1.00	pass		Butanes (sum) ⊥	< LOQ	5000	400	pass	
Cyclohexane ⊥	< LOQ	3880	200	pass		Ethyl acetate ⊥	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether ⊥	< LOQ	5000	200	pass	
Ethylene glycol ⊥	< LOQ	620	200	pass		Ethylene oxide ⊥	< LOQ	50.0	20.0	pass	
Hexanes (sum) ⊥	< LOQ	290	150	pass		Isopropyl acetate ⊥	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) ⊥	< LOQ	70.0	30.0	pass		m,p-Xylene ⊥	< LOQ		200		
Methanol ⊥	< LOQ	3000	200	pass		Methylene chloride ⊥	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) ⊥	< LOQ		200			n-Butane ⊥	< LOQ		200		
n-Heptane ⊥	< LOQ	5000	200	pass		n-Hexane ⊥	< LOQ		30.0		
n-Pentane ⊥	< LOQ		200			o-Xylene ⊥	< LOQ		200		
Pentanes (sum) ⊥	< LOQ	5000	600	pass		Propane ⊥	< LOQ	5000	200	pass	
Tetrahydrofuran ⊥	< LOQ	720	100	pass		Toluene ⊥	< LOQ	890	100	pass	
Total Xylenes ⊥	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides

Method: AOAC 2007.01 & EN 15662 (mod) **Units** mg/kg **Batch** 2600901 **Analyze:** 02/04/26

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin ⊥	< LOQ	0.50	0.250	pass		Acephate ⊥	< LOQ	0.40	0.200	pass	
Acequinocyl ⊥	< LOQ	2.0	1.00	pass		Acetamiprid ⊥	< LOQ	0.20	0.100	pass	
Aldicarb ⊥	< LOQ	0.40	0.200	pass		Azoxystrobin ⊥	< LOQ	0.20	0.100	pass	
Bifenazate ⊥	< LOQ	0.20	0.100	pass		Bifenthrin ⊥	< LOQ	0.20	0.100	pass	
Boscalid ⊥	< LOQ	0.40	0.200	pass		Carbaryl ⊥	< LOQ	0.20	0.100	pass	
Carbofuran ⊥	< LOQ	0.20	0.100	pass		Chlorantraniliprole ⊥	< LOQ	0.20	0.100	pass	
Chlorfenapyr ⊥	< LOQ	1.0	0.500	pass		Chlorpyrifos-ethyl ⊥	< LOQ	0.20	0.100	pass	
Clofentezine ⊥	< LOQ	0.20	0.100	pass		Cyfluthrin (sum) ⊥	< LOQ	1.0	0.500	pass	
Cypermethrin (sum) ⊥	< LOQ	1.0	0.500	pass		Daminozide ⊥	< LOQ	1.0	0.500	pass	
Diazinon ⊥	< LOQ	0.20	0.100	pass		Dichlorvos ⊥	< LOQ	1.0	0.500	pass	
Dimethoate ⊥	< LOQ	0.20	0.100	pass		Ethoprophos ⊥	< LOQ	0.20	0.100	pass	
Etofenprox ⊥	< LOQ	0.40	0.200	pass		Etoxazole ⊥	< LOQ	0.20	0.100	pass	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 26-001122/D008.R001
Report Date: 02/20/2026
ORELAP#: OR100028
Received: 01/28/26 10:01

Pesticides

Method: AOAC 2007.01 & EN 15662 (mod) **Units** mg/kg **Batch** 2600901 **Analyze:** 02/04/26

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Fenoxycarb ⊥	< LOQ	0.20	0.100	pass		Fenpyroximate ⊥	< LOQ	0.40	0.200	pass	
Fipronil ⊥	< LOQ	0.40	0.200	pass		Flonicamid ⊥	< LOQ	1.0	0.400	pass	
Fludioxonil ⊥	< LOQ	0.40	0.200	pass		Hexythiazox ⊥	< LOQ	1.0	0.400	pass	
Imazalil ⊥	< LOQ	0.20	0.100	pass		Imidacloprid ⊥	< LOQ	0.40	0.200	pass	
Kresoxim-methyl ⊥	< LOQ	0.40	0.200	pass		Malathion ⊥	< LOQ	0.20	0.100	pass	
Metalaxyl ⊥	< LOQ	0.20	0.100	pass		Methiocarb ⊥	< LOQ	0.20	0.100	pass	
Methomyl ⊥	< LOQ	0.40	0.200	pass		MGK-264 ⊥	< LOQ	0.20	0.100	pass	
Myclobutanil ⊥	< LOQ	0.20	0.100	pass		Naled ⊥	< LOQ	0.50	0.250	pass	
Oxamyl ⊥	< LOQ	1.0	0.500	pass		Paclobutrazole ⊥	< LOQ	0.40	0.200	pass	
Parathion-methyl ⊥	< LOQ	0.20	0.100	pass		Permethrin ⊥	< LOQ	0.20	0.100	pass	
Phosmet ⊥	< LOQ	0.20	0.100	pass		Piperonyl butoxide ⊥	< LOQ	2.0	1.00	pass	
Prallethrin ⊥	< LOQ	0.20	0.100	pass		Propiconazole ⊥	< LOQ	0.40	0.200	pass	
Propoxur ⊥	< LOQ	0.20	0.100	pass		Pyrethrin I (total) ⊥	< LOQ	1.0	0.500	pass	
Pyridaben ⊥	< LOQ	0.20	0.100	pass		Spinosad ⊥	< LOQ	0.20	0.100	pass	
Spiromesifen ⊥	< LOQ	0.20	0.100	pass		Spirotetramat ⊥	< LOQ	0.20	0.100	pass	
Spiroxamine ⊥	< LOQ	0.40	0.200	pass		Tebuconazole ⊥	< LOQ	0.40	0.200	pass	
Thiacloprid ⊥	< LOQ	0.20	0.100	pass		Thiamethoxam ⊥	< LOQ	0.20	0.100	pass	
Trifloxystrobin ⊥	< LOQ	0.20	0.100	pass							

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed	Method	Status	Notes
Arsenic ⊥	< LOQ	0.200	mg/kg	0.0180	2600807	02/02/26	AOAC 2013.06 (mod.)þ	pass	
Cadmium ⊥	< LOQ	0.200	mg/kg	0.0180	2600807	02/02/26	AOAC 2013.06 (mod.)þ	pass	
Lead ⊥	< LOQ	0.500	mg/kg	0.0180	2600807	02/02/26	AOAC 2013.06 (mod.)þ	pass	
Mercury ⊥	< LOQ	0.100	mg/kg	0.00900	2600807	02/02/26	AOAC 2013.06 (mod.)þ	pass	

Mycotoxins

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed	Method	Status	Notes
Aflatoxin B1 ⊥	< LOQ		µg/kg	5.00	2600899	02/04/26	Mycotoxins by AOAC 2007.01		
Aflatoxin B2 ⊥	< LOQ		µg/kg	5.00	2600899	02/04/26	Mycotoxins by AOAC 2007.01		
Aflatoxin G1 ⊥	< LOQ		µg/kg	5.00	2600899	02/04/26	Mycotoxins by AOAC 2007.01		
Aflatoxin G2 ⊥	< LOQ		µg/kg	5.00	2600899	02/04/26	Mycotoxins by AOAC 2007.01		
Ochratoxin A ⊥	< LOQ	20.0	µg/kg	5.00	2600899	02/04/26	Mycotoxins by AOAC 2007.01	pass	
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		02/05/26	Mycotoxins by AOAC 2007.01þ	pass	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number:	26-001122/D008.R001
Report Date:	02/20/2026
ORELAP#:	OR100028
Received:	01/28/26 10:01

Abbreviations
Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Threshold Note: OAR 333-007-0400

þ = ISO/IEC 17025:2017 accredited method.
⊥ = TNI accredited analyte.

Units of Measure

% wt = µg/g divided by 10,000
/25g = Per 25g
µg/g = Microgram per gram
µg/kg = Micrograms per kilogram = parts per billion (ppb)
mg/kg = Milligram per kilogram = parts per million (ppm)
% = Percentage of sample
mg/4g = Milligram per 4g

Approved Signatory

Derrick Tanner
General Manager

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 26-001122/D008.R001
Report Date: 02/20/2026
ORELAP#: OR100028
Received: 01/28/26 10:01

Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents **Batch ID:** 2600863

Method Blank					Laboratory Control Sample					
Analyte	**Result**		**LOQ**	**Notes**	**Result**	**Spike**	**Units**	**% Rec**	**Limits**	**Notes**
1,1,1-Trichloroethane	ND	<	5		5.52	5	µg/g	110.4	50-150	
1,1-Dichloroethane	ND	<	1		0.982	1	µg/g	98.2	50-150	
1,2-Dichloroethene, trans-	ND	<	1		0.976	1	µg/g	97.6	50-150	
1,4-Dioxane	ND	<	100		506	504	µg/g	100.4	60-120	
2,2-Dimethylbutane	ND	<	30		141	171	µg/g	82.5	60-120	
2,2-Dimethylpropane	ND	<	200		811	956	µg/g	84.8	60-120	
2,3-Dimethylbutane	ND	<	30		132	166	µg/g	79.5	60-120	
2-Butanol	ND	<	200		1310	1620	µg/g	80.9	60-120	
2-Ethoxyethanol	ND	<	30		146	165	µg/g	88.5	60-120	
2-methyl-1-propanol	ND	<	500		1460	1610	µg/g	90.7	50-150	
2-Methylbutane	ND	<	200		1230	1610	µg/g	76.4	60-120	
2-Methylpentane	ND	<	30		161	167	µg/g	96.4	60-120	
2-Propanol	ND	<	200		1330	1610	µg/g	82.6	60-120	
3-Methylpentane	ND	<	30		120	163	µg/g	73.6	60-120	
Acetone	ND	<	200		1340	1610	µg/g	83.2	60-120	
Acetonitrile	ND	<	100		385	506	µg/g	76.1	60-120	
Benzene	ND	<	1		1.06	1	µg/g	106.0	50-150	
Butane	ND	<	200		583	769	µg/g	75.8	60-120	
Carbon Tetrachloride	ND	<	1		1.05	1	µg/g	105.0	50-150	
Chlorobenzene	ND	<	1		1.09	1	µg/g	109.0	50-150	
Cumene	ND	<	30		193	162	µg/g	119.1	60-120	
Cyclohexane	ND	<	200		1520	1610	µg/g	94.4	60-120	
Dichloromethane	ND	<	1		0.905	1	µg/g	90.5	50-150	
DMSO	ND	<	500		1550	1620	µg/g	95.7	50-150	
Ethanol	ND	<	200		1360	1620	µg/g	84.0	60-120	
Ethyl acetate	ND	<	200		1300	1620	µg/g	80.2	60-120	
Ethyl Ether	ND	<	200		1350	1610	µg/g	83.9	60-120	
Ethylbenzene	ND	<	200		1040	969	µg/g	107.3	60-120	
Ethylene Glycol	ND	<	200		443	503	µg/g	88.1	60-120	
Ethylene Oxide	ND	<	1		0.691	1	µg/g	69.1	50-150	
Heptane	ND	<	200		1340	1610	µg/g	83.2	60-120	
Hexane	ND	<	30		142	166	µg/g	85.5	60-120	
Isobutane	ND	<	200		599	770	µg/g	77.8	60-120	
Isobutyl Acetate	ND	<	500		1390	1640	µg/g	84.8	50-150	
Isopropyl Acetate	ND	<	200		1370	1610	µg/g	85.1	60-120	
m,p-Xylene	ND	<	200		1090	994	µg/g	109.7	60-120	
Methanol	ND	<	200		1150	1620	µg/g	71.0	60-120	
MTBE	ND	<	500		1460	1610	µg/g	90.7	50-150	
o-Xylene	ND	<	200		1130	981	µg/g	115.2	60-120	
Pentane	ND	<	200		1260	1610	µg/g	78.3	60-120	
Propane	ND	<	200		444	585	µg/g	75.9	60-120	
Pyridine	ND	<	50		147	163	µg/g	90.2	50-150	
Sulfolane	ND	<	50		187	193	µg/g	96.9	50-150	
Tetrahydrofuran	ND	<	100		461	488	µg/g	94.5	60-120	
Toluene	ND	<	100		526	505	µg/g	104.2	60-120	
Triethylamine	ND	<	500		1390	1610	µg/g	86.3	50-150	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 26-001122/D008.R001
Report Date: 02/20/2026
ORELAP#: OR100028
Received: 01/28/26 10:01

Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

QC - Sample Duplicate **Sample ID: 26-000488-0001**

Analyte	SR Result	SD Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
1,1,1-Trichloroethane	ND	ND	5	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethene, trans-	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Carbon Tetrachloride	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chlorobenzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 26-001122/D008.R001
Report Date: 02/20/2026
ORELAP#: OR100028
Received: 01/28/26 10:01

Revision: 4 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 2600897**

Laboratory Control Sample

Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0322	0.0318	%	101	80.0 - 120	Acceptable	
CBDV	2	0.0344	0.0335	%	103	80.0 - 120	Acceptable	
CBE	2	0.0372	0.0367	%	101	80.0 - 120	Acceptable	
CBDA	1	0.0311	0.0320	%	97.2	90.0 - 110	Acceptable	
CBGA	1	0.0334	0.0332	%	100	80.0 - 120	Acceptable	
CBG	1	0.0312	0.0314	%	99.5	80.0 - 120	Acceptable	
CBD	1	0.0301	0.0293	%	103	90.0 - 110	Acceptable	
THCV	2	0.0345	0.0336	%	103	80.0 - 120	Acceptable	
d8THCV	2	0.0361	0.0353	%	102	80.0 - 120	Acceptable	
THCVA	2	0.0621	0.0601	%	103	80.0 - 120	Acceptable	
CBN	1	0.0314	0.0307	%	102	80.0 - 120	Acceptable	
exo-THC	2	0.0326	0.0320	%	102	80.0 - 120	Acceptable	
d9THC	1	0.0314	0.0304	%	104	90.0 - 110	Acceptable	
d8THC	1	0.0323	0.0325	%	99.4	90.0 - 110	Acceptable	
9S-d10THC	1	0.0341	0.0341	%	100	80.0 - 120	Acceptable	
CBL	2	0.0313	0.0314	%	99.5	80.0 - 120	Acceptable	
9R-d10THC	1	0.0365	0.0365	%	99.9	80.0 - 120	Acceptable	
CBC	2	0.0344	0.0338	%	102	80.0 - 120	Acceptable	
THCA	1	0.0320	0.0320	%	100	90.0 - 110	Acceptable	
CBCA	2	0.0330	0.0329	%	100	80.0 - 120	Acceptable	
CBLA	2	0.0333	0.0329	%	101	80.0 - 120	Acceptable	
d9THCP	2	0.0316	0.0316	%	100	80.0 - 120	Acceptable	
CBT	2	0.0339	0.0340	%	99.8	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.00797	%	< 0.00797	Acceptable	
CBDV	<LOQ	0.00797	%	< 0.00797	Acceptable	
CBE	<LOQ	0.00797	%	< 0.00797	Acceptable	
CBDA	<LOQ	0.00797	%	< 0.00797	Acceptable	
CBGA	<LOQ	0.00797	%	< 0.00797	Acceptable	
CBG	<LOQ	0.00797	%	< 0.00797	Acceptable	
CBD	<LOQ	0.00797	%	< 0.00797	Acceptable	
THCV	<LOQ	0.00797	%	< 0.00797	Acceptable	
d8THCV	<LOQ	0.00797	%	< 0.00797	Acceptable	
THCVA	<LOQ	0.00797	%	< 0.00797	Acceptable	
CBN	<LOQ	0.00797	%	< 0.00797	Acceptable	
exo-THC	<LOQ	0.00797	%	< 0.00797	Acceptable	
d9THC	<LOQ	0.00797	%	< 0.00797	Acceptable	
d8THC	<LOQ	0.00797	%	< 0.00797	Acceptable	
9S-d10THC	<LOQ	0.00797	%	< 0.00797	Acceptable	
CBL	<LOQ	0.00797	%	< 0.00797	Acceptable	
9R-d10THC	<LOQ	0.00797	%	< 0.00797	Acceptable	
CBC	<LOQ	0.00797	%	< 0.00797	Acceptable	
THCA	<LOQ	0.00797	%	< 0.00797	Acceptable	
CBCA	<LOQ	0.00797	%	< 0.00797	Acceptable	
CBLA	<LOQ	0.00797	%	< 0.00797	Acceptable	
d9THCP	<LOQ	0.00797	%	< 0.00797	Acceptable	
CBT	<LOQ	0.00797	%	< 0.00797	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 26-001122/D008.R001
Report Date: 02/20/2026
ORELAP#: OR100028
Received: 01/28/26 10:01

Revision: 4 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 2600897**

Sample Duplicate Sample ID: **26-001122-0001**

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.00707	%	NA	< 10	Acceptable	
CBGA	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.00707	%	NA	< 10	Acceptable	
THCV	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
d9THC	0.126	0.127	0.00707	%	0.580	< 10	Acceptable	
d8THC	<LOQ	<LOQ	0.00707	%	NA	< 10	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00707	%	NA	< 10	Acceptable	
CBCA	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00707	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.